

*Neopac*

RECYCLASS TECHNOLOGY APPROVAL

*Brussels, 3 December 2020*

The RecyClass HDPE Technical Committee was requested to carry out an assessment of the technology 'Polyfoil® MMB Tube PF525/623' by Neopac to verify its impact on the quality of recycled HDPE containers.

The technology is a laminated tube, containing sandwiched thin film metallization, and provided with HDPE shoulders, excluding cap. The tube is white-coloured and direct printed. The EVOH barrier concentration is below 4% of the total weight of the packaging, with more than 3% PE tie layers grafted with at least 0,1 % maleic anhydride. Laminated adhesive is PU based, solvent free and represents less than 1,5 wt%.

According to the results that were obtained from the laboratory test by the Institut für Kunststofftechnologie und -recycling (IKTR), carried out as per the Recyclability Evaluation Protocol for HDPE containers, the 'Polyfoil® MMB Tube PF525/623' technology is considered to be **fully compatible with coloured HDPE recycling**.

Based on these results, RecyClass certifies that Neopac 'Polyfoil® MMB Tube PF525/623' technology will not have a negative impact on the current European HDPE containers recycling and provided the full packaging using this tube as the body is designed under the following conditions:

- a) The tube and its shoulders are made of clear or white HDPE;
- b) The maximum EVOH concentration is below 4 wt% and provided by more than 3 wt% PE tie layers, grafted with a minimum concentration of 0,1% of maleic anhydride;
- c) The laminated adhesive is PU based, solvent free and represents less than 1.5 wt%;
- d) The film metallization has an optical density up to 2.4 (about 0,02µm thickness);
- e) The density of the finished tube is lower than 1 g/cm<sup>3</sup>;
- f) Closures, liners, seals and valves, as well as any other components are made of PE;
- g) Applied printing technology is compatible with recycling; since several printing options are possible, it is the responsibility of the end-user to choose an appropriate combination of inks and printing process to ensure that:
  - i. the inks are non-bleeding;
  - ii. the inks comply with the European Legislation (e.g. Packaging and Packaging Waste Directive on the heavy metal concentration levels) and are EUPIA compliant;

- iii. direct printing is limited as much as possible (see Annex I);

RecyClass concludes that Neopac 'Polyfoil® MMB Tube PF525/623' technology as per current market conditions and knowledge, is fully compatible with the existing European industrial recycling processes for coloured HDPE containers. Indeed, the recycled plastic generated after the recycling process was successfully tested in high-value application such as HDPE bottles up to 25% concentration<sup>1</sup>.

However, RecyClass recommends to review and further reduce the direct printing applied on the tube. Direct printing is to be avoided, as it leads to colouring of the recyclate, limiting its further applications

RecyClass recognition applies only to Neopac 'Polyfoil® MMB Tube PF525/623' technology reported in Annex I and is not a recyclability assessment of specific packaging using this tube as body. Any specific packaging using this tube as body would need to be tested individually to demonstrate the system of resin, adjuvants, label, closure, and printing conformed to the RecyClass Recyclability Evaluation Protocol for HDPE containers, and that it is sorted in the HDPE stream at the state of art sorting plants in Europe. However, similar executions with the only modification of artworks would not have to be tested again as long as the ink coverage remain the same.

Any change on the formulation of the technology must be communicated to the Technical Committee which will reassess the approval of the technology.

*About*

**RecyClass** is a comprehensive cross-industry initiative that works to advance plastic packaging recyclability and to establish a harmonized approach towards recycled content calculation and traceability in Europe. Activities within RecyClass include the development of Recyclability Evaluation Protocols and scientific testing of innovative materials which serve as the base for the Design for Recycling guidelines and the free online tool. RecyClass offers Recyclability Certifications and Recycled Content Traceability Certification for plastic packaging.

Contact: [Alice.Wallon@plasticsrecyclers.eu](mailto:Alice.Wallon@plasticsrecyclers.eu), [www.recyclclass.eu](http://www.recyclclass.eu)

---

<sup>1</sup> [Recyclability Evaluation Protocol for HDPE containers](#)

## Annex I



*Figure 1 Polyfoil® MMB Tube PF525/623 without cap by Neopac*