

Silgan Dispensing

RECYCLASS TECHNOLOGY APPROVAL

Brussels, 01 June 2022

DISCLAIMER

RecyClass recognition applies only to Silgan Dispensing ‘Trigger Sprayer SP09R’ technology reported in Annex I. The recyclability assessment therefore does not refer to the testing of a specific packaging using this pump. Any specific packaging using this pump would need to be tested individually to demonstrate that the system of resin, adjuvants, label, closure, and printing conforms to the RecyClass Recyclability Evaluation Protocol for PP containers, and that it is sorted in the PP rigid stream at the state-of-art sorting plants in Europe.

Publication of results of testing of this technology MUST clearly include all the conditions listed in the approval letter. Partial reporting of the conditions is forbidden.

Additionally, any change in the formulation of the technology must be communicated to the Technical Committee which will reassess the approval of the technology.

The RecyClass PP Technical Committee was requested to carry out an assessment of the technology ‘Trigger Sprayer SP09R’ by Silgan Dispensing to verify its impact on the quality of recycled PP containers.

The technology is a PP pump made of ten individual components, provided without associated container. All the pump components were supplied clear, except for a blue valve. The pump is made of about 86,8% of PP and 12,5% of PE and 0,7% of EBA (Ethylene Butyl Acrylate).

According to the results that were obtained from the laboratory tests done by the Institut für Kunststofftechnologie und -recycling (IKTR), carried out as per the Recyclability Evaluation Protocol for PP containers, ‘Trigger Sprayer SP09R’ technology is considered to be **limited compatible with PP recycling**.

Based on these results, RecyClass certifies that Silgan Dispensing ‘Trigger Sprayer SP09R’ technology will have a limited impact on the current European PP containers recycling and provided that the full packaging using this trigger sprayer as closure system is designed under the following conditions:

- a) The trigger sprayer is made of colourless PP components (*for natural PP packaging only*);
- b) The coloured valve must be replaced with a transparent or white one (*for natural PP packaging only*);
- c) The trigger sprayer is used on PP containers;
- d) The PE components represent 12,5% of the total weight of the trigger sprayer or less;
- e) The EBA-based valve represents 1% of the total weight of the pump or less;

- f) All components of the pump are lower than 1 g/cm³;
- g) The pump is designed to allow consumers to access as much as possible the product, i.e. the amount of product left should be lower than 5% of the total packaging weight.

RecyClass concludes that Silgan Dispensing 'Trigger Sprayer SP09R' technology as per current market conditions and knowledge, is limited compatible with the existing European industrial recycling processes for PP containers. Indeed, the recycled plastic generated after the recycling process was successfully tested in injection moulding applications up to a concentration of 50% innovation¹.

The present PP-based trigger sprayer should be used on PP container in order to optimize recyclability. It should be noteworthy that the use of this PP-based trigger sprayer on HDPE containers will reduce the quality of HDPE recycled plastic, as the PP compatibility with PE recycling is limited.

About RecyClass

RecyClass is a comprehensive cross-industry initiative that works to advance plastic packaging recyclability and to establish a harmonized approach towards recycled content calculation and its traceability in Europe. Activities within RecyClass include the development of Recyclability Evaluation Protocols and scientific testing methods for innovative materials which serve as the base for the Design for Recycling Guidelines and the Recycling Online Tool. RecyClass offers Recyclability Certifications for plastic packaging and Recycled Content Traceability Certification for plastic products.
Contact: Jean-Emile.Potaufoux@plasticsrecyclers.eu, www.recyclclass.eu

¹ [Recyclability Evaluation Protocol for PP containers](#)

Annex I




Figure 1 Trigger SprayerSP09R by Silgan Dispensing